

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

CHERYL L. PANASIK ET AL.

SERIAL NUMBER:

EXAMINER:

FILED: OCTOBER 9, 2003

GROUP ART UNIT:

FOR: THREADED SCREW FASTENER CHARACTERIZED BY HIGH  
PULL-OUT RESISTANCE, REDUCED INSTALLATION TORQUE,  
AND UNIQUE HEAD STRUCTURE AND DRIVE SOCKET  
IMPLEMENT OR TOOL THEREFOR

INFORMATION DISCLOSURE STATEMENT

HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS  
WASHINGTON, D.C. 20231

SIR:

In connection with the above-identified patent application, and the prosecution thereof before the United States Patent and Trademark Office, and in compliance with the duty of disclosure as set forth in 37 CFR 1.56, Applicant hereby desires to make of record, in accordance with 37 CFR 1.97, the following **PRIOR ART** of which Applicant is aware and which is also listed upon the attached PTO FORM 1449:

Information Disclosure Statement  
THREADED SCREW FASTENER CHARACTERIZED BY HIGH  
PULL-OUT RESISTANCE, REDUCED INSTALLATION TORQUE,  
AND UNIQUE HEAD STRUCTURE AND DRIVE SOCKET  
IMPLEMENT OR TOOL THEREFOR  
Cheryl L. Panasik et al.

Hulsey	6,250,034
Hubbard et al.	6,055,786
Hubbard	6,004,645
Osterle et al.	5,915,903
Hasan	5,711,116
Murphy et al.	5,709,059
Rathgeber et al.	5,469,671
Mossman	5,378,102
Giannuzzi	5,267,423
O'Connor et al.	5,217,339
Hulsey	5,102,275
Lemke	5,069,589
Lemke	4,987,714
Murphy	4,945,699
Kaiser et al.	4,900,208
Stenson	4,803,823
Murphy	4,787,188
Giannuzzi	4,763,456
Reinwall et al.	4,726,164
Young et al.	4,641,472
Reinwall et al.	4,630,984
Francovitch	4,455,804
Dewey	4,380,413
DeCaro	4,361,997
Gray	2,334,406
Boley	1,435,134


The present invention, in connection with which the present patent application is being prosecuted, is directed toward a threaded screw fastener which has a unique and novel dual drive head structure, and in addition, a unique and novel thread structure which enables the threaded screw fastener

Information Disclosure Statement  
**THREADED SCREW FASTENER CHARACTERIZED BY HIGH  
PULL-OUT RESISTANCE, REDUCED INSTALLATION TORQUE,  
AND UNIQUE HEAD STRUCTURE AND DRIVE SOCKET  
IMPLEMENT OR TOOL THEREFOR**  
Cheryl L. Panasik et al.

to exhibit enhanced pull-out resistance properties as well as decreased installation torque characteristics. Still further, a socket implement or tool is provided for engagement with the threaded screw fastener in order to rotatably drive the same into a substrate.

While the cited **PRIOR ART** is relevant to the present invention in that the **PRIOR ART** discloses conventional seam plates and membrane systems, it is submitted that such **PRIOR ART** patent publications cited above do not disclose the particular aforementioned features of the present invention, and therefore, it is respectfully submitted that the examiner should merely consider such **PRIOR ART** in its proper perspective, make the same officially of record, and proceed with completion of the examination of this patent application.

Respectfully Submitted,  
**SCHWARTZ & WEINRIEB**



---

Steven W. Weinrieb  
Attorney of Record  
Registration No. 26,520  
(703) 415-1250

[illegible]

